

Refugee Health Screener-15 (RHS-15) Tigrinya Version

Bilingual versions of the RHS-15 have been translated by an iterative process involving experts in the field, professional translators, and members of the refugee community so that each question is asked correctly according to language and culture. The English text is provided for reference only; using the English alone negates the sensitivity of this instrument.

DEMOGRAPHIC INFORMATION			
Name:	Date of	of Birth:	
Gender:	Date of Arrival:	Health ID:	
Administered by:	Date of	Screen:	

Developed by the *Pathways to Wellness* project and generously funded by Robert Wood Johnson Foundation, Bill and Melinda Gates Foundation, United Way of King County, Medina Foundation, The Seattle Foundation, Boeing Employees Community Fund and M.J. Murdock Charitable Trust.

© 2013 Pathways to Wellness: Integrating Refugee Health and Well-Being

Pathways to Wellness: Integrating Refugee Health and Well-Being is a project of Lutheran Community Services Northwest, Asian Counseling and Referral Service, Public Health Seattle & King County, and Michael Hollifield, M.D. of Pacific Institute for Research & Evaluation. For more information, please contact The *Pathways* Project at 206-816-3253 or pathways@lcsnw.org.

##	<i>ሞርሞራ</i> ጥዕና ስደተኛታት-ነ5 (RHS-15)
	DEFLICEF LIFALTH CODEFNED 1F (DUC 1F)



DATE:

ID

REFUGEE HEALTH SCREENER-15 (RHS-15)

መምርሕታት:- ኣብ ንኒ እቲ ነፍሲ ወከፍ ምልክት ሕማም ሰፊሩ ዘሎ መምዘኒ ዓቀን ርኢ ኻ/ኺ ፡ እቲ ዝስምዓካ/ኪ ወይ ዝረኣየካ/ኪ ዘሎ ጠንቂ ሕማም <u>ኣብዚ ዝሓለፈ ወርሒ</u> ክሳብ ክንዴይ ከምዘሻቐለካ/ኪ ኣመልክት/ቲ። እንተድኣ እቲ ጠንቂ ሕማም ኣብዚ ዝሓለፈ ወርሒ ዘየሻቐለካ/ኪ ኮይኑ ኣብ **"ብፍጹም"** ዝብል ዓንኬል ኣመልክት/ቲ፡፡

INSTRUCTIONS: Using the scale beside each symptom, please indicate the degree to which the symptom has been bothersome to you <u>over the past month</u>. Place a mark in the appropriate column. If the symptom has not been bothersome to you during the past month, circle "NOT AT ALL."

	Ō				Ō
 ጠንቅታት SYMPTOMS	ፊዲሞ፡ NOT AT ALL	ቁሩሳበ A LITTLE BIT	ብመጠኑ MODERATELY	·ПС'Њ QUITE A ВІТ	ብጣ <i>ስሚ</i> ብር <i>ትዕ</i> EXTREMELY
1. ጭዋዳ፡ ዓጽጣ፡ ቃንዛ መላግቦ ኣዕጽምቲ Muscle, bone, joint pains	0	1	2	3	4
2. ምቅዛን፡ ምጉሃይ፡ መብዝሕትኤ ግዜ ዘይምሕጓስ Feeling down, sad, or blue most of the time	0	1	2	3	4
3. ብዙሕ ምሕሳብ፡ ወይ ብሓሳብ ምህውታት Too much thinking or too many thoughts	0	1	2	3	4
4. ትሑት ዓቅሚ ክስምዓካ/ኪ ከሎ Feeling helpless	0	1	2	3	4
5. ብዘይምኸንያት ሃንደበታዊ ፍርሂ Suddenly scared for no reason	0	1	2	3	4
6. ርእስቫ ጽርውሩው ክብለካ/ኪ፡ ሃለዋትካ/ኪ ኣጥፌእካ/ኪ ምሳ ሓይልቫ/ቪ ምስ ዝጠልመካ/ኪ Faintness, dizziness, or weakness	ውዳኞ ወይ 0	1	2	3	4
7.	0	1	2	3	4
8. ዘይም ቐ ሳን፡ ሸ <i>ገርገር ወይ</i> ሓፍ- ኮ ፍ ምባል Feeling restless, can't sit still	0	1	2	3	4
9. ብቸሲሉ ምብካ ይ Crying easily	0	1	2	3	4

Developed by the Pathways to Wellness project and generously funded by Robert Wood Johnson Foundation, Bill and Melinda Gates Foundation, United Way of King County, Medina Foundation, The Seattle Foundation, Boeing Employees Community Fund and M.J. Murdock Charitable Trust.

© 2013 Pathways to Wellness: Integrating Refugee Health and Well-Being

Pathways to Wellness: Integrating Refugee Health and Well-Being is a project of Lutheran Community Services Northwest, Asian Counseling and Referral Service, Public Health Seattle & King County, and Michael Hollifield, M.D. of Pacific Institute for Research & Evaluation. For more information, please contact The Pathways Project at 206-816-3253 or pathways@lcsnw.org.

ID#	<i>ሞርሞራ</i> ጥዕና ስደተኛታት-15 (RHS-15)
	REFUGEE HEALTH SCREENER-15 (RHS-15)

DATE:



እዞም ዝስዕብ ምልክታት ምስ ተመኩሮ ናይ ግዜ ኩናትን ስደትን ስቅያት ዝተተሓሓዙ ክኾኑ ይኽእሉ እዮም፡፡ ኣብ ዝሓለፌ ወርሒ ክንደይ ካብዞም ዝስዕቡ ኣጋጢሞምኻ/ኺ?

The following symptoms may be related to traumatic experiences during war and migration. How much in the past month have you:

ጠንቅታት SYMPTOMS	ሬ.ጺ.ም፦ NOT AT ALL	ቁሩ•በ A LITTLE BIT	·Ո <i>Թ</i> ՊԴ MODERATELY	·ΛC·ቱ⁄δ QUITE A BIT	ብጣዕማ. ብርቱዕ EXTREMELY
10. ብስምዒት ወይ ብዋብሪ እቲ ዘሕለፍካዮ/ክዮ ስቅያት ከም እንደገና ከምዚ ሕጇ ዝኸውን ዘሎ'ዶ ኮይኑ ይስመዓካ/ኪ? Had the experience of reliving the trauma; acting or feeling as if it were happening again?	0	1	2	3	4
11. ነቲ ዘሕለፍካዮ/ ስ ዮ ስቅያት ስትዝክር/ሪ ኮለቫ/ቪ ፡ <u>አካላዊ</u> ግብሪመልሲ (ንአብነት ምርሃጽ፡ ተረግታ ልቢ ምንሃር) ይስምዓካ/ኪ ዶ? Been having physical reactions (for example, break out in a sweat, heart beats fast) when reminded of the trauma?	0	1	2	3	4
12. ናይ ስምዒት ምድንዛዝ (ንኣብነት ጉሂኻ ዘይምብካይ ፡ ፍቅራዊ ስምዒት ዘይምህላው) አለካ/ኪ ዶ? Felt emotionally numb (for example, feel sad but can't cry, unable to have loving feelings)?	0	1	2	3	4
13. ብ ኞ ሊሉ ትስንብድ/ዲ ዶ? (ንአብነት ሰብ ብድሕሬሻ/ቪ እንተመጻ)? Been jumpier, more easily startled (for example, when someone walks up behind you)?	0	1	2	3	4

Developed by the Pathways to Wellness project and generously funded by Robert Wood Johnson Foundation, Bill and Melinda Gates Foundation, United Way of King County, Medina Foundation, The Seattle Foundation, Boeing Employees Community Fund and M.J. Murdock Charitable Trust.

© 2013 Pathways to Wellness: Integrating Refugee Health and Well-Being

ID#	<i>መርመራ</i>
	REFUGEE HEALTH SCREENER-15 (RHS-15)




14. እቲ ዝበለጸ *መ*ልሲ ካብዚ ኣብ ታሕቲ ዘሎ ምልክት *ግ*በረሉ። እንታይ ይስምዓኩም፡-

Circle the one best response below. Do you feel that you are:

ምስ ዘጋተም ኩነታት ከጻወር ይክእል እየ። Able to handle (cope with) anything	0
ምስ መብዛሕትሉ ዘጋተም ኩነታት ክጻወር ይኸእል እየ። Able to handle (cope with) most things	1
ኣብ ሂወተይ ዘጋጥም ሓደ ሓደ ኩነታት ከጻወሮም ይኽእል እየ፡ ሓደ ሓደ ኩነታት ድማ ክጻወሮም ኣይኽእልን እየ። Able to handle (cope with) some things, but not able to cope with other things	2
ኣብ ሂወተ <i>ይ ዘጋጥ</i> ምኒ <i>ም</i> ብዛሕትአም ኩነታት ክጻወሮም ኣይኽእልን እየ። Unable to cope with most things	3
ኣብ ሂወተይ ዘጋጥ ሙኒ ዝ ኾኑ ኩ ነታት ክጻወሮም ኣይኽእልን። Unable to cope with anything	4

DATE:

DISTRESS THERMOMETER



ካብ ዝሓለፌ ሰሙን ክሳብ ሎሚ ማዕረ ክንደይ ክም ዝተጨነኞካ/ኪ ካብ o ክሳብ io (ካብ ጭንቀት የለን ክሳብ ጽንኩር) ዘሎ ቁጽሪ ብምኸባብ ኣመልክት/ቲ።

Add Total Score of items 1-14

Please circle the number (0–10) that best describes how much distress you have been experiencing in the past week, including today.

SCORING SCREENING IS POSITIVE IF: 1	TEMS 1–14 IS ≥12 OR ② DISTRESS THERMOMETER IS ≥5
CHECK ONE: POSITIVE NEGATIVE	SELF-ADMINISTERED NOT SELF-ADMINISTERED